

EAST 183

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1874	((427/8) or (427/9) or (427/10)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/18 07:05
L2	725	((427/446) or (427/454)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/18 07:05
L3	50962	(gas or oxygen) with (sensor)	US-PGPUB; USPAT	OR	ON	2005/08/18 07:09
L4	100	3 and 1	US-PGPUB; USPAT	OR	ON	2005/08/18 07:05
L5	17918	(thermal or flame or plasma or arc or hvof) near3 (spray or sprayed or spraying)	US-PGPUB; USPAT	OR	ON	2005/08/18 07:55
L6	7	4 and 5	US-PGPUB; USPAT	OR	ON	2005/08/18 07:06
L7	6	("5731030").URPN.	USPAT	OR	OFF	2005/08/18 07:08
L8	28799	(gas or oxygen) near3 (sensor)	US-PGPUB; USPAT	OR	ON	2005/08/18 07:16
L9	15	8 and 2	US-PGPUB; USPAT	OR	ON	2005/08/18 07:14
L10	108	8 same 5	US-PGPUB; USPAT	OR	ON	2005/08/18 07:26
L11	15	10 and ((thickness or radius) with (measure or measured or measuring))	US-PGPUB; USPAT	OR	ON	2005/08/18 07:26
L12	35377	(gas or oxygen) near3 (sensor)	EPO; JPO; DERWENT	OR	ON	2005/08/18 07:16
L13	16888	(thermal or flame or plasma or arc or hvof) near3 (spray or sprayed or spraying)	EPO; JPO; DERWENT	OR	ON	2005/08/18 07:16
L14	116	12 and 13	EPO; JPO; DERWENT	OR	ON	2005/08/18 07:16
L15	30	14 and (thickness or radius)	EPO; JPO; DERWENT	OR	ON	2005/08/18 07:19
L16	5	12 and (thickness and radius)	EPO; JPO; DERWENT	OR	ON	2005/08/18 07:22
L17	12	13 and (thickness and radius)	EPO; JPO; DERWENT	OR	ON	2005/08/18 07:21
L18	187	13 and (thickness and diameter)	EPO; JPO; DERWENT	OR	ON	2005/08/18 07:21
L19	4	18 and (measured or measure or measuring)	EPO; JPO; DERWENT	OR	ON	2005/08/18 07:22
L20	119	12 and (thickness and diameter)	EPO; JPO; DERWENT	OR	ON	2005/08/18 07:22
L21	624	8 and 5	US-PGPUB; USPAT	OR	ON	2005/08/18 07:26

L22	29	21 and ((thickness same (radius or diameter)) same (measure or measured or measuring))	US-PGPUB; USPAT	OR	ON	2005/08/18 07:31
L23	1	"4897283".PN.	USPAT; USOCR	OR	OFF	2005/08/18 07:28
L24	1	"4588607".PN.	USPAT; USOCR	OR	OFF	2005/08/18 07:28
L25	1	"4505945".PN.	USPAT; USOCR	OR	OFF	2005/08/18 07:29
L26	0	13 same ((thickness same (radius or diameter)) same (measure or measured or measuring))	US-PGPUB; USPAT	OR	ON	2005/08/18 07:32
L27	30089	5same ((thickness same (radius or diameter)) same (measure or measured or measuring))	US-PGPUB; USPAT	OR	ON	2005/08/18 07:32
L28	88	5 same ((thickness same (radius or diameter)) same (measure or measured or measuring))	US-PGPUB; USPAT	OR	ON	2005/08/18 07:36
L29	149	5 and ((thickness with (radius or diameter)) with (measure or measured or measuring))	US-PGPUB; USPAT	OR	ON	2005/08/18 07:43
L30	128	29 not 28	US-PGPUB; USPAT	OR	ON	2005/08/18 07:37
L31	3	5 and ((thickness with (points) with before) with (measure or measured or measuring))	US-PGPUB; USPAT	OR	ON	2005/08/18 07:44
L32	43	5 and ((thickness with before) with (measure or measured or measuring))	US-PGPUB; USPAT	OR	ON	2005/08/18 07:49
L33	5	13 and ((thickness with before) with (measure or measured or measuring))	EPO; JPO; DERWENT	OR	ON	2005/08/18 07:52
L34	0	13 and (((diameter or radius) with before) with (measure or measured or measuring))	EPO; JPO; DERWENT	OR	ON	2005/08/18 07:56
L35	22	5 and (((diameter or radius) with before) with (measure or measured or measuring))	US-PGPUB; USPAT	OR	ON	2005/08/18 07:55
L36	1854	(thermal or flame or plasma or arc or hvof) near3 (spray or sprayed or spraying)	USOCR	OR	ON	2005/08/18 07:55
L37	1	36 and (((diameter or radius) near10 before) near10 (measure or measured or measuring))	USOCR	OR	ON	2005/08/18 07:55
L38	0	36 and (((thickness) near10 before) near10 (measure or measured or measuring))	USOCR	OR	ON	2005/08/18 07:55

L39	2	13 and (((diameter or radius) near10 before) near10 (coat or coated or coating or spray or sprayed or spraying))	EPO; JPO; DERWENT	OR	ON	2005/08/18 07:57
L40	190	(((diameter or radius) near10 before) near10 (coat or coated or coating or spray or sprayed or spraying))	EPO; JPO; DERWENT	OR	ON	2005/08/18 08:06
L41	36	40 and thickness	EPO; JPO; DERWENT	OR	ON	2005/08/18 07:57
L42	532	(((diameter or radius) near10 before) near10 (coat or coated or coating or spray or sprayed or spraying))	US-PGPUB; USPAT	OR	ON	2005/08/18 08:00
L43	110	42 same thickness	US-PGPUB; USPAT	OR	ON	2005/08/18 08:09
L44	2	jp-2000282214-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/08/18 08:10
L45	1	("20020018921").PN.	US-PGPUB	OR	OFF	2005/08/18 08:09
L46	205	denso and iwata.in.	EPO; JPO; DERWENT	OR	ON	2005/08/18 08:10
L47	52	46 and sensor	EPO; JPO; DERWENT	OR	ON	2005/08/18 08:10
L48	2	47 and (thickness or radius or diameter)	EPO; JPO; DERWENT	OR	ON	2005/08/18 08:11
L49	336	denso and sensor and (thickness or radius or diameter)	EPO; JPO; DERWENT	OR	ON	2005/08/18 08:11
L50	4	49 and (spray or sprayed or spraying)	EPO; JPO; DERWENT	OR	ON	2005/08/18 08:11

EAST VB

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	200	(427/454).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/18 08:57